

Portofino 190

technical data sheet

EN

Product specifications

Three-layer parquet	EN 13489	DoP PQ2021-5
Size	Plank	190 x 400-1900 x 14(3) mm
	Box	6 planks / 2.166 m ² / 15.65 kg
	Full planks	5
	Pallet	50 boxes / 108.3 m ² / 802.5 kg
Density	EN 323	± 650 kg/m ³
Installation		Tongue & Groove
Top layer		European oak (Quercus robur)
Core		Poplar (Populus deltoides)
Counter balance		Poplar (Populus deltoides)
Grading		Rustic A
Texture		Slightly Brushed
Bevel		2V Microbevel
Gloss level at 60°		4-6 %
Finishing		UV Oil
Warranty conditions	Residential warranty	20 years
	Commercial warranty	upon request
Use class	EN 13489	Class 23 Heavy domestic use



Empty fields indicate variations between the colors within the collection. Please refer to the table below for specific data per color.

Variables within the collection

Article Code	Colour	Finish	Texture
POR 190-110	110 - Natural	Oil	Slightly Brushed
POR 190-1817	1817 - Invisible	Oil	Slightly Brushed
POR 190-996	996-Cayenne	Oil	Slightly Brushed
POR 190-997	997-Macadamia	Oil	Slightly Brushed

Portofino 190

technical data sheet

EN

Product properties

property		test method	min. req.	result
Indoor air certifications/labels				A
Reaction to fire		EN 13501-1		Dfl-s1
Slip resistance		CEN/TS 15676		USRV 54
Pentachlorophenol content		CEN/TR 14823	< 5 ppm	Does not contain pentachlorophenol
Underfloor heating		EN 12664	R < 0.15 m²K/W	R = 0.10 m²K/W OK (max +28°C) + glued
Biological durability				Class 1

Formaldehyde emission

CE-Marking - EN 14342		EN 717-1	≤ 0.124 mg/m³	E1
REACH Annex XVII Entry 77		EN 717-1	< 0.062 mg/m³	0.016 mg/m³




Portofino 190

Rustic A
EN

Grading description

Texture	Slightly Brushed
Grading	Slightly rustic
Colour variation	Low
Sound knots	$\varnothing \leq 35$ mm
Unsound knots	$\varnothing \leq 20$ mm
Sapwood	≤ 30 mm, $\leq 20\%$ of width
End crack	< 3 mm wide, < 150 mm long
Surface crack	Not allowed
Insect hole	Not allowed
Decay	Not allowed
Blue/yellow stain	Not allowed
Sound heart	Not allowed
Machine marks	Not allowed



This picture is an indication of the grading as described.

Grading description – 2 criteria

Knots

Scale from (rigid) parquet without knots up to planks with more and larger knots



Colour variation

From little colour variation/sapwood to bigger colour variation/sapwood



Cleaning and maintenance instructions: www.lamett.eu